Genius®
Live with Ideas

KYE Systems Corp.
492, Sec. 5, Chung Hsin Rd.,
Sanchong Dist., New Taipei City 24160,
Taiwan
Tel: (886) 2-2995-6645
Fax: (886) 2-2995-6649
http://www.geniusnet.com

KYE Systems Europe GmbH
Karl-Benz-Straße 9
D-40764 Langenfeld, Germany
Tel: (49) 2173-9743-0
(49) 2173-9743-21 (Tech. Support)
Fax: (49) 2173-9743-17
http://www.genius-europe.com
genius@genius-europe.com

KYE Systems H.K. Corp. Ltd.
Unit 1701, 17th Floor, Aitken Vanson Centre,
No. 61 Hoi Yuen Road,
Kwun Tong, Kowloon, Hong Kong
Tel: (852) 2342-3813
Fax: (852) 2341-9517
http://www.geniusnet.com.hk

KYE Systems America Corp.
North & Latin America
1301 N.W. 84th Avenue, Suite#127,
Doral, FL 33126 U.S.A.
Tel: 1-305-468-9250
Fax: 1-305-468-9251
http://www.geniuseshop.com
http://www.geniusnetusa.com

KYE Systems UK Ltd.
Unit 4, 131 Beddington Lane,
Croydon, Surrey.
CR0 4TD. UK
Tel: (44) 20-8664-2727 (Sales)
(44) 20-8664-2710 (Tech. Support)
Fax: (44) 20-8664-2721 (Sales)
(44) 20-8664-2747 (Tech. Support)
http://www.geniusnet.co.uk

Genius Technology (SHENZHEN) CO., Ltd.
Room 1004, Block A, World Trade Plaza,
Fuhong RD, Futian District,
Shenzhen, China
Tel: 0755-8329-6609
Fax: 0755-8300-5790
http://www.geniusnet.com.cn

Genius & KYE are registered trademarks of KYE Systems Corp. All other products, brands or companies mentioned are trademarks or registered trademarks of their respective companies. Products may look different than shown here. Specifications are subject to change without prior notice.

Find us on Facebook | Genius

12840119100-D

Genius®
Live with Ideas



2012 CATALOGUE

www.geniusnet.com

02 MOUSE

06 KEYBOARD

10 SPEAKERS

14 DOCKING SPEAKER

15 HEADSET

18 GAME DEVICE

22 WEBCAM

24 DSC/DV

25 DVR/PROJECTOR

26 TABLET

28 TV/Reader/USB HUB

29 NB STAND/NUMPAD/ TOUCH PEN

30 BackPack

32 Power bank



Live with ideas

Milestone

- ❑ 2005 Best Channel Award - Latin America
- ❑ 2005 Best Peripherals Supplier – England
- ❑ 2006 Top 20 Brands – Taiwan
- ❑ 2006 Best Emerging Brand Award - India
- ❑ 2006 International Technology Award – Central America
- ❑ 2007 Top 20 Brands – Taiwan
- ❑ 2007 Outstanding Enterprise Award – Taiwan
- ❑ 2007 Best Supplier Award – Latin America
- ❑ 2007 Best PC Peripherals Supplier Award - Argentina
- ❑ 2008 Best Channel Award, Best Retail Award – Middle-East
- ❑ 2008 Innovative Design and Technology Award – CES, US
- ❑ 2008 Product Design Award – Red Dot, Germany
- ❑ 2008 Top 20 Brands - Taiwan
- ❑ 2008 Peripherals Vendor of the Year – Middle-East
- ❑ 2008 Best Retail Award – Middle-East
- ❑ 2008 Best Channel Award – Dominican Republic
- ❑ 2009 National Award of Excellence – Taiwan
- ❑ 2009 If Communication Design Award – Germany
- ❑ 2009 Technology Top 100 – Taiwan
- ❑ 2009 Top 20 Brands – Taiwan
- ❑ 2009 Best Channel Award - Latin America
- ❑ 2009 RETAIL ACADMY - Middle East
- ❑ 2010 TOP 20 Brands – Taiwan
- ❑ 2010 Chunnel awards – Latin America
- ❑ 2010 Best Retail Award – M.E.
- ❑ 2010 Peripheral provider of the year – M.E.
- ❑ 2011 If Product Design Award – Germany
- ❑ 2011 Product Design Award – Red Dot, Germany
- ❑ 2011 Best choice Award – Computex

Notebook Mouse

NetScroll

NetScroll 310X

NetScroll 310

ScrollToo

ScrollToo 310

ScrollToo T355 Laser

Traveler

Traveler 320 Laser

Traveler 355 Laser

Traveler 900

Traveler 9000

Micro Traveler

Micro Traveler

NX-Elite

Micro Traveler

Micro Traveler 330S

Micro Traveler 330LS

Mini Traveler

Mini Traveler

NX-Mini

Mini Traveler Laser

ScrollToo 901

ScrolToo T955 Laser

Traveler 7000

Traveler T925 Laser

NX-Micro

Micro Traveler 900S

Micro Traveler 900BT

		Port	MAC OS	Buttons	Cordless	4D Scroll	8 Way Scroll	Both Handed	Optical Sensor	BlueEye	Laser Sensor	Resolution (dpi)	Stick-N-Go	Touch Scroll	Hyper Speed Scroll	LED
Notebook Mouse	NetScroll 310X	USB	•	3				•	•			1200				
	NetScroll 310	USB	•	3				•	•			1200				
	ScrollToo 310	USB	•	3				•	•			1200				
	ScrollToo T355 Laser	USB	•	5			•	•			•	1600		•	•	
	ScrollToo 901	USB	•	3	2.4GHz			•	•			1200				
	ScrolToo T955 Laser	USB	•	5	2.4GHz		•	•			•	1600				
	Mini Traveler	USB	•	3				•	•			1200				
	NX-Mini	USB	•	3				•		•		1200				
	Mini Traveler Laser	USB	•	3				•			•	1600				
	Traveler 320 Laser	USB	•	3				•			•	1600			•	
	Traveler 355 Laser	USB	•	3		•		•			•	1600		•	•	
	Traveler 7000	USB	•	3	2.4GHz			•	•			1600				
	Traveler 900	USB	•	3	2.4GHz			•	•			1600			•	
	Traveler 9000	USB	•	3	2.4GHz			•		•		1200	•			
	Traveler T925 Laser	USB	•	3	2.4GHz			•			•	1600		•	•	
	Micro Traveler	USB	•	3				•	•			1200				
	NX-Elite	USB	•	3				•		•		1200				•
	NX-Micro	USB	•	3				•		•		1200				•
	Micro Traveler 330S	USB	•	3				•	•			1200	•			
	Micro Traveler 330LS	USB	•	3				•			•	1600				
	Micro Traveler 900S	USB	•	3	2.4GHz			•	•			1200	•			
	Micro Traveler 900BT			3	Bluetooth			•	•			1200	•			

Notebook Mouse/Wired, Wireless

Ergo

Ergo 300

Ergo 325 Laser

Ergo T355 Laser

Ergo 7000

Ergo 9000

Navigator

Navigator 305

Navigator 320

Navigator 335 Laser

Mini Navigator 900

Navigator 900X

Navigator

Navigator 905

Navigator 905 Vogue

Navigator 905 Bamboo

Navigator 905 Wood

Navigator 905BT

Navigator

Naviagtor T835 Laser

Others

Ring Mouse

Pen Mouse

		Port	MAC OS	Buttons	Cordless	4D Scroll	8 Way Scroll	Both Handed	Optical Sensor	BlueEye	Laser Sensor	Resolution (dpi)	Stick-N-Go	Touch Scroll	Hyper Speed Scroll	Air-Cursor
Notebook Mouse	Ergo 300	USB	•	3		•		•	•			1200				
	Ergo 325 Laser	USB	•	5							•	1600				
	Ergo T355 Laser	USB	•	5		•					•	1600		•	•	
	Ergo 7000	USB	•	5	2.4GHz				•			1200	•			
	Ergo 9000	USB	•	5	2.4GHz					•		1200				
	Navigator 305	USB	•	3				•	•			1200	•			
	Navigator 320	USB	•	3				•	•			1200				
	Navigator 335 Laser	USB	•	5				•			•	1600				
	Mini Navigator 900	USB	•	3	2.4GHz			•		•		1200				
	Navigator 900X	USB	•	3	2.4GHz			•				1200				
	Navigator 905	USB	•	3	2.4GHz			•		•		1200	•			
	Navigator 905 Vogue	USB	•	3	2.4GHz			•		•		1200	•			
	Navigator 905 Bamboo	USB	•	3	2.4GHz			•		•		1200	•			
	Navigator 905 Wood	USB	•	3	2.4GHz			•		•		1200	•			
	Navigator 905BT			3	Bluetooth			•	•			1600				
	Navigator T835 Laser	USB	•	11	2.4GHz			•			•	1600				•
	Ring Mouse	USB		3	2.4GHz			•				1000		•		•
	Pen Mouse	USB		3	2.4GHz			•	•			1200			•	

XScroll

XScroll

NetScroll

NetScroll 100

NetScroll 120

NetScroll T220 Laser

ScrollToo

ScrollToo 200

NetScroll 100X

NetScroll 200 Laser

NetScroll 801

ScrollToo 800

NetScroll 110

NetScroll 220 Laser

NetScroll 110X

NetScroll T220

	Port	MAC OS	Buttons	Coreless	4D Scroll	8 Way Scroll	Both Handed	Optical Sensor	BlueEye	Laser Sensor	Resolution (dpi)	Stick-N-Go	Touch Scroll	Hyper Speed Scroll
XScroll	PS2/USB	•	3				•	•			800/1200			
NetScroll 100	PS2/USB	•	3				•	•			800/1200			
NetScroll 100X	USB	•	3				•	•			1200			
NetScroll 110	PS2	•	3				•	•			800			
NetScroll 110X	USB	•	3				•	•			1200			
NetScroll 120	PS2/USB	•	3				•	•			800/1200			
NetScroll 200 Laser	USB	•	3				•			•	1600			
NetScroll 220 Laser	USB	•	3				•			•	1600			
NetScroll T220	USB	•	5		•		•	•			1200		•	•
NetScroll T220 Laser	USB	•	5				•			•	1600		•	•
NetScroll 801	USB	•	3	2.4GHz			•	•			1200			
ScrollToo 200	USB	•	3				•	•			1200			
ScrollToo 800	USB	•	3	2.4GHz			•	•			1200			

Traveler

DX-220

Traveler 6000

Traveler 220

Traveler 6000X

Traveler 515 Laser

Traveler 6010

Traveler 8000

Navigator

Navigator 220

Naviagtor 820

Ergo

Ergo 525X Laser

Ergo T555 Laser

DX-7100

DX-L8000

DX-ECO

	Port	MAC OS	Buttons	Coreless	4D Scroll	8 Way Scroll	Both Handed	Optical Sensor	BlueEye	Laser Sensor	Resolution (dpi)	Stick-N-Go	Touch Scroll	Hyper Speed Scroll
DX-220	PS2/USB	•	3				•		•		1200			
Traveler 220	USB	•	3		•		•	•			1200			
Traveler 515 Laser	USB	•	5		•		•			•	1600		•	•
Traveler 6000	USB	•	3	2.4GHz			•	•			1200			
Traveler 6000X	USB	•	3	2.4GHz			•	•			1200			
Traveler 6010	USB	•	3	2.4GHz			•	•			1200	•		
Traveler 8000	USB	•	5	2.4GHz					•		1200	•		
Navigator 220	USB	•	3								1200			
Naviagtor 820	USB	•	3	2.4GHz			•	•			1200			•
Ergo 525X Laser	USB	•	6		•		•			•	1600			
Ergo T555 Laser	USB	•	6			•				•	1600		•	•
DX-7100	USB	•	5	2.4GHz					•		1200	•		
DX-L8000	USB	•	6	2.4GHz	•				•		1200	•		
DX-ECO	USB	•	7	2.4GHz	•				•		1600			

KB

KB-06XE

KB-110

KB-110X

KB-120

Multimedia

KB-200

Multimedia

KB-202

Multimedia

KB-M200

Multimedia

KB-M220

Multimedia

KB-220e

Multimedia

KB-320e

Multimedia

KB-350e

Multimedia

KB-380

SlimStar

Slim

SlimStar 110

Slim
Multimedia

SlimStar 120

Slim

SlimStar 150

Slim
Multimedia

SlimStar 220

Slim
Multimedia

SlimStar i220

Slim
Multimedia

SlimStar i222

		port	Windows 7/Vista/XP	Anti-Water Spills	Multimedia Control	Internet Feature	Office Tools	4D Pad/Wheel	MIC in & Spkout jack	Palm Rest
Wired Keyboard	Basic	KB-06XE	PS/2 or USB	•						
		KB-110	PS/2 or USB	•	•					
		KB-110X	PS/2 or USB	•	•					
		KB-120	PS/2 or USB	•	•					• (Optional)
	Multimedia	KB-200	PS/2 or USB	•		•	•			
		KB-202	PS/2 or USB	•	•	•				
		KB-M200	PS/2 or USB	•	•	•				
		KB-M220	PS/2 or USB	•		•	•			• (Optional)
		KB-220e	USB	•	•	•	•	•		
		KB-320e	USB	•	•	•	•	•	4D Pad		•
		KB-350e	USB	•	•	•	•	•	4D Pad		
		KB-380	USB	•		•	•	•		•	•
	Basic	SlimStar 110	PS/2 or USB	•	•	•					
		SlimStar 120	PS/2 or USB	•	•	•					
		SlimStar 150	USB	•	•						•
	Multimedia	SlimStar 220	PS/2 or USB	•	•		•	•			
		SlimStar i220	USB	•		•	•				
		SlimStar i222	USB	•		•	•				

SlimStar

Slim
Multimedia

SlimStar 220 Pro

Slim
Multimedia

SlimStar 320

LuxeMate

Slim
Multimedia

LuxeMate i200

Slim
Multimedia

LuxeMate i202

Slim
Multimedia

LuxeMate i220

Slim
Multimedia

LuxeMate 300

Slim
Multimedia

LuxeMate 320

Slim
Multimedia

LuxeMate T330

ErgoMedia

Slim
Multimedia

ErgoMedia 700

		port	Windows 7/ Vista/XP	Anti-Water Spills	Multimedia Control	Internet Feature	Office Tools	4D Pad/ Wheel	MIC in & Spkout jack	Palm Rest	Touch Panel	4D Scroll	USB HUB
Wired Keyboard	Multimedia	SlimStar 220 Pro	USB	•	•	•	•	•					•
		SlimStar 320	PS/2 or USB	•	•	•	•	•	4D Pad				
		LuxeMate i200	USB	•		•	•						
		LuxeMate i202	USB	•		•	•						
		LuxeMate i220	USB	•		•	•						
		LuxeMate 300	PS/2 or USB	•		•	•						
		LuxeMate 320	PS/2 or USB	•	•	•	•	•	4D Pad		•		
		LuxeMate T330	USB	•	•	•	•				•	•	
		ErgoMedia 700	USB	•	•	•	•				•	•	

WIRED-DESKTOP

KB

KB-C100

KM-110X

KM-200

KB-C210

KB-C220e

Combo

KMS U110

SlimStar

SlimStar C110

			port	Windows 7/ Vista/XP	Water Spills	Multimedia Control	Internet Feature	2-Watt	Volume	Palm Rest	Headphone Jack	Optical Mouse	Mouse Buttons
Desktop Combo	Basic	KB-C100	PS/2 or USB	·								·	3
		KM-110X	PS/2 or USB	·	·							·	3
	Multimedia	KM-200	PS/2 or USB	·	·	·						·	3
		KB-C210	PS/2 or USB	·		·	·			·		·	3
		KB-C220e	PS/2 or USB	·	·	·	·			·		·	3
	Basic	SlimStar C110	PS/2 or USB	·	·							·	3
	3 in 1	KMS U110	PS/2 or USB	·		·	·	·	·			·	3

WIRELESS-DESKTOP

SlimStar

SlimStar 8000

SlimStar 8000X

SlimStar 8010

SlimStar i815

SlimStar i820

LuxeMate

LuxeMate 8000

LuxeMate i815

LuxeMate T810

LuxeMate T830

ErgoMedia

ErgoMedia 823 Laser

			Port	RF Frequency	Windows 7/ Vista/XP	Anti-Water Spills	Multimedia Control	Internet Feature	Office Tools	4D Pad/ Scroll	Palm Rest	Touch Panel	Optical/Laser Mouse	Mouse Buttons
Wireless Keyboard	2.4 GHz Wireless	SlimStar 8000	USB	2.4GHz	·	·	·						Optical	3
		SlimStar 8000X	USB	2.4GHz	·	·	·						Optical	3
		SlimStar 8010	USB	2.4GHz	·	·		·	·				Optical	3
		SlimStar i815	USB	2.4GHz	·		·	·					Optical	
		SlimStar i820	USB	2.4GHz	·		·	·	·				Optical	4
		LuxeMate 8000	USB	2.4GHz	·		·	·					Optical	3
		LuxeMate i815	USB	2.4GHz	·		·	·					Optical	3
		LuxeMate T810	USB	2.4GHz	·		·	·		4D Pad				
		LuxeMate T830	USB	2.4GHz	·	·	·	·	·		·	·	Optical	3
		ErgoMedia 823 Laser	USB	2.4GHz	·		·	·	·	4D Scroll	·		Laser	6

PC 2.0-CH

SP-U110

SP-120

SP-U115

SP-M120

SP-U150X

SP-M200

SP-U150

SP-J200

SP-J330

Portable

SP-i150

SP-i175

SP-i160

SP-i177

SP-i165

SP-i250G

SP-i170

SP-i300

SP-i400

		RMS (Watts)	Volume Control	Tone	3D	Headphone Jack	Extra Line-in	3.5mm Input	USB Powered
PC 2.0-CH	SP-U110	1	•			•		•	•
	SP-U115	1.5	•					•	•
	SP-U150X	4						•	•
	SP-U150	4	•			•	•	•	•
	SP-120	2.6	•			•		•	
	SP-M120	2	•			•		•	
	SP-M200	6	•	•		•		•	
	SP-J200	5	•	•		•	•	•	
	SP-J330	8	•	•	•	•	•	•	

		RMS (Watts)	Volume Control	Link	Battery	Charge	Decode Music format	interface		
								3.5mm	USB	SD slot
Portable	SP-i150	2			Li-on	USB		•		
	SP-i160	2			Li-on	USB		•		
	SP-i165	2			Li-on	USB		•		
	SP-i170	2	•		Li-on	USB		•		
	SP-i175	2	•	•	Li-on	USB		•		
	SP-i177	2	•	•	Li-on	USB		•		
	SP-i250G	4	•	•	Li-on	USB		•		
	SP-i300	2	•	•	Li-on	USB	MP3/WMA	•	•	
	SP-i400	2	•	•	Li-on	USB	MP3/WMA	•		•

PC 2.1-CH

SW-U2.1 200

SW-2.1 800

SW-S2.1 200

SW-2.1 1000

SW-M2.1 350

SW-G2.1 1200

SW-2.1 360

SW-G2.1 1250

SW-J2.1 500

SW-G2.1 3000

PC 5.1-CH

SW-5.1 1020

SW-5.1 1010

SW-5.1 1800

SW-5.1 3005

SW-G5.1 3500

		RMS (Watts)	Volume Control	Bass/Tone	Extra Line-in	Headphone Jack	Mic-in	Source input		Remark
								3.5mm Jack (PC/ CD/MP3 player)	2RCA Jack (TV/DVD/ Game)	
PC 2.1-CH	SW-U2.1 200	6	•					•		USB Powered
	SW-S2.1 200	6	•					•		
	SW-M2.1 350	11	•	Bass		•		•		
	SW-2.1 360	10	•	Bass				•		
	SW-J2.1 500	12	•	Bass	•	•		•		
	SW-2.1 800	20	•	Bass	•	•		•		Wired-control
	SW-2.1 1000	25	•	Bass		•		•		
	SW-G2.1 1200	30	•	Bass	•	•		•	•	
	SW-G2.1 1250	38	•	Bass	•	•	•	•	•	
	SW-G2.1 3000	70	•	Bass	•	•	•	•	•	

		RMS (Watts)	Satellite Speaker (watts)	Subwoofer (watts)	Master Volume Control	Bass Control	Headphone in Line-in	Remote Control	Source input	
									3x 3.5mm jack PC-6 channel	3.5mm Jack (PC/CD/MP3 player)
PC 5.1-CH	SW-5.1 1020	26.5	2.5 x 5	14	•	•	•		•	•
	SW-5.1 1010	18	2.5 x 5	5.5	•	•		Remote	•	•
	SW-5.1 1800	55	7 x 5	20	•	•		Wired	•	
	SW-5.1 3005	75	10 x 5	25	•	•			•	
	SW-G5.1 3500	80	10 x 5	30	•	•	•		•	•

Wood 2.0-CH

SP-HF6W

SP-HF500A

SP-HF360A

SP-HF1201A

SP-HF1255A

SP-HF1800A

Wood 2.1-CH

SW-HF2.1 800

SW-HF2.1 1205

SW-HF2.1 1205

		RMS (Watts)	Volume Control	Bass	Treble	Headphone Jack	Extra Line-in	Soure input	
								3.5mm (PC/ CD/MP3 player)	2RCA (TV/DVD/Game)
Wood 2.0	SP-HF6W	6	•			•		•	
	SP-HF360A	10	•	Tone			•	•	
	SP-HF1255A	40	•	Bass	•	•	•	•	•
	SP-HF500A	14	•	Tone		•	•	•	
	SP-HF1201A	30	•	Bass	•	•	•	•	•
	SP-HF1800A	50	•	Bass	•	•	•	•	•

		RMS (Watts)	Satellite Speakers	Sub-woofer (Watts)	Volume Control	Bass	Extra Line-in	Headphone Jack	Soure input	Remote Contrd
Wood 2.1	SW-HF2.1 800	20	6 x 2	8	•	•	•	•	3.5mm	Wired
	SW-HF2.1 1205	32	9 x 2	14	•	•			3.5mm	

Pro Series

SP-HF800Pro

SP-HF800A

SP-HF2020

For Home Entertainment

SW-HF5.1 4500

SW-HF5.1 5050 V2

SW-HF5.1 6000

SB-3700

		RMS (Watts)	Volume Control	Tone	EQ	Mute	Headphone Jack	Extra Line-in	Remote Control	Soure input		
										3.5mm (PC/ CD/MP3 player)	2RCA (TV/DVD/Game)	Digital in (TV/DVD/Game)
Pro Series	SP-HF800 Pro	20	•				•			•	•	
	SP-HF800A	20	•	•				•		•		
	SP-HF2020	60	•		•	•			•	•	•	Coaxcial

		RMS (Watts)	Front Speaker (watts)	Center Speaker (watts)	Rear Speaker (watts)	Subwoofer (watts)	Remote Control	LCD/LED Display	Master Volume Control	Channel Volume control	Mute	EQ	Standby	Soure input			
														3.5mm (PC/ CD/MP3 player)	2RCA (TV/DVD/Game)	6RCA (5.1ch) (TV/DVD)	Digital in (TV/DVD/Game)
For Home Entertainment	SB-3700	75	15 x 2	15		30	•		•	Bass	•	Widesound	•	•	•		optical
	SW-HF5.1 4500	125	15 x 2	15	15 x 2	50	•	LED	•	•	•			•	•	•	
	SW-HF5.1 5005V2	150	20 x 2	20	20 x 2	50	•	LED	•	•	•			•	•	•	
	SW-HF5.1 6000	200	20 x 2	20	20 x 2	100	•	LCD	•	•	•			•	•	•	

SP-i600

Made for iPod iPhone iPad

- Output power : 4 watts
- Speaker driver : 2" 4 ohm
- S/N Ratio : 80dB
- Function : Vol up / down / Remote control, charging
- Frequency response : 150Hz~20KHz
- Color available :

SP-i500

Made for iPod iPhone | Snooze | Cradle x2 | Speaker | Charger

- Output power : 2 watts
- Speaker driver : 1.5" 4 ohm
- S/N Ratio : 80dB
- Function : FWD / BWD / Play / Pause / Vol up / down / Alarm clock, charging
- Frequency response : 150Hz~20KHz
- Color available :

DC-i100

Made for iPod iPhone

- Charger for iPhone3G/3GS/4G
- Line-out function to connect with powered speaker
- Color available :

Earbud/In Ear

HS-105

HS-115

HS-200A

HS-205

Head-band

HS-110S

HS-02B

HS-02S

HS-04S

HS-04B

HS-200C

HS-400A

HS-04SU

HS-500X

HS-05A

	Model Name	Type	Advanced Features											
			Microphone	3.5mm/USB	Noice - Cancelling (Mic)	Bass Vibration	Fold up	Volume Control	Mic mute	Retractable / Coil-up cable	Carring Case	Includes Ear Pads	6.3 mm / dual plug	iPhone compatible
Earbud/In Ear	HS-105	Single-Ear	•	3.5				•	•					
	HS-115	Single-Ear	•	3.5	•			•	•					
	HS-200A	Earbud	•	3.5				•	•					
	HS-205	In-ear	•	3.5				•	•		•	•		•
Head-band	HS-110S	Single-Ear	•	3.5	•									
	HS-02B	Head-band	•	3.5				•						
	HS-200C	Head-band	•	3.5										
	HS-02S	Head-band	•	3.5				•						
	HS-04S	Head-band	•	3.5	•			•						
	HS-04B	Head-band	•	3.5	•			•	•					
	HS-400A	Head-band	•	3.5				•						
	HS-04SU	Head-band	•	3.5	•			•	•					
	HS-500X	Head-band	•	3.5				•						
	HS-05A	Head-band	•	3.5	•			•	•	Coil-up cable			•	

HEADSET

Rear-band

HS-300A

HS-300N

HS-03N

HS-300i

Game

HS-03U

HS-G550

HS-300U

Cavimanus HS-G700V

HS-G500V

Made for iPad/iPhone/iPod

HS-905BT

HS-200 Gold

HS-980BT

HS-i220

	Model Name	Type	Advanced Features						
			Microphone	3.5mm/ Bluetooth	Volume	Mic mute	Carring Case	Includes Ear Pads	iPhone compatible
Made for iPad iPhone	HS-905BT	In-ear	•	Bluetooth	•		•	•	•
	HS-980BT	Head-band	•	Bluetooth	•		•		•
	HS-200Gold	In-ear	•	3.5	•	•	•	•	•
	HS-i220	In-ear	•	3.5	•			•	•

	Model Name	Type	Advanced Features								
			Microphone	3.5mm/USB	Noice - Cancelling (Mic)	Bass Vibration	Fold up	Volume Control	Mic mute	7.1 Channel	LED
Rear-band	HS-300A	Rear-Band	•	3.5							
	HS-300N	Rear-Band	•	3.5			•	•	•		
	HS-03N	Rear-Band	•	3.5			•	•	•		
	HS-300i	Rear-Band	•	3.5			•	•	•		
Game	HS-03U	Head-band	•	USB		•		•	•		
	HS-300U	Rear-Band	•	USB			•	•	•		
	HS-G500V	Head-band	•	3.5	•	•		•	•		
	HS-G550	Head-band	•	3.5			•	•	•		
	Cavimanus HS-G700V	Head-band	•	USB	•	•		•	•	•	•

HEADPHONES

In ear

HP-02 Live

GHP-220X

GHP-i200

GHP-240X

GHP-200X

Head-band

GHP-400S

GHP-400F

GHP-420S

GHP-400A

Earbud

GHP-02S

GHP-200V

Ear Hook

GHP-205X

GHP-300B

	Model Name	Type	Fold up	Volume Control	Carring Case	Includes Ear Pads	iPhone compatible	Cable Length
In ear	HP-02 Live	In-ear			•	•	•	1.2m
	GHP-i200	In-ear			•	•	•	1.2m
	GHP-200X	In-ear				•	•	1.2m
	GHP-220X	In-ear				•	•	1.2m
	GHP-240X	In-ear				•	•	1.2m
Head-band	GHP-400S	Head-band					•	1.5m
	GHP-420S	Head-band					•	1.2m
	GHP-400F	Head-band	•				•	1.2m
	GHP-400A	Head-band		•			•	1.8m

	Model Name	Type	Fold up	Volume Control	Carring Case	Includes Ear Pads	iPhone compatible	Cable Length
Earbud	GHP-02S	Earbud					•	1.2m
	GHP-200V	Earbud					•	1.2m
Ear Hook	GHP-205X	Ear Hook		•			•	1.2m
	GHP-300B	Ear Hook					•	1.2m

Gaming Keyboard

KB-G235

Imperator

SlimStar 335

Imperator Pro

LuxeMate 525

ErgoMedia 500

Gaming Speakers

SP-i250G

SW-G2.1 1250

SW-G2.1 3000

SW-G5.1 3500

		port	Windows 7/Vista/XP	Game Cat.	Anti-Water Spills	Multimedia Control	Internet tool	MIC in & Spkout jack	Progammable Gaming key	On Board Memory
Keyboard	KB-G235	USB	•	FPS	•	•	•			
	SlimStar 335	USB	•	MMORPG	•	•	•		15	•
	LuxeMate 525	USB	•	FPS	•	•	•	•	26	•
	Imperator	USB	•	MMORPG/RTS		•			18	•
	Imperator Pro	USB	•	MMORPG/RTS		•			18	
	ErgoMedia 500	USB	•	FPS					18	•

		RMS (Watts)	Subwoofer(watts)	Satellite (watts)	Volume Control	Bass/Tone	Headphone Jack	Extra Line-in	Mic-in	Source input		Remark
										3.5mm Jack (PC/CD/MP3 Player)	2 RCA Jack (TV/DVD/Game)	
SPK	SP-i250G	4		2 x 2	•							Li-on Battery
	SW-G2.1 1250	38	20	9 x 2	•	Bass	•	•	•	•	•	
	SW-G2.1 3000	65	45	10 x 2	•	Bass	•		•	•	•	
	SW-G5.1 3500W	80	30	10 x 5	•	Bass		•		•	•	Color LED

Gaming Headset

HS-03U

HS-G500V

Cavimanus
HS-G700V

HS-300U

HS-G550

Gaming Mouse/By Game Category

Navigator G500
FPS

NetScroll G500 Laser
FPS/RTS

Maurus
FPS/RTS

DeathTaker
MMORPG/RTS

	Model Name	Type	Advanced Features								
			Microphone	3.5mm/USB	Noice - Cancelling (Mic)	Bass Vibration	Fold up	Volume Control	Mic mute	7.1 Channel	LED
Headset	HS-03U		•	USB		•	•	•	•		
	HS-300U	Rear-Band	•	USB			•	•	•		
	HS-G500V	Head-band	•	3.5	•	•		•	•		
	HS-G550	Head-band	•	3.5				•	•		
	Cavimanus HS-G700V	Head-band	•	USB	•	•		•	•	•	•

		port	MAC OS	Buttons	Game Cat	Both Handed	Optical Sensor	Laser Sensor	Resolution(dpi)
Mouse	Navigator G500	USB	•	3	FPS	•	•		1600
	NetScroll G500 Laser	USB	•	4	FPS/RTS			•	2000
	Maurus	USB		5	FPS/RTS	•			3500
	DeathTaker	USB		9	MMORPG/RTS			•	5700

Racing Wheel-Combo

Speed Wheel 5

TwinWheel FX

Speed Wheel 5 Pro

Twin Wheel 900FF

Twin Wheel F1

Wireless Trio Racer

Trio Racer F1

Racing Wheel-PC

Speed Wheel RV

Speed Wheel 3 MT

Joystick

F-17

F-23U

MetalStrike 3D

MetalStrike Pro

Wizard stick

Motion act

Wizard stick is a motion stick to play your PC games.
No need an expensive game consoles (Like XBOX360, PS3,Wii).
Connect the stick with your own PC or Notebook, you can enjoy the motion game as well.

System Requirements

- For PC
  - Core 2 duo 2.8 GHz or above
- 1GB RAM or above
- Graphic card
  - NVIDIA GeForce 8000 or ATI Radeon X1800 and above
  - Memory : 256M or above
  - DirectX 9 or above
- 4G HDD space
- DVD-ROM for software installation
- Available USB 2.0 port

		USB Port	Win 7/Vista/Xp/Me/2000/98	PlayStation one & 2	PS3 Compatable	Number of Buttons	D-Pad	Mini Stick	Gear Shifter	Foot Pedals	RF Wireless	Force Feedback	Vibration Feedback	Turbo	Turbo
Racing Wheel	Combo	Speed Wheel 5	·	·		·	8				·					
		Speed Wheel 5 Pro	·	·		·	8				·			·		
		TwinWheel F1	·	·	·		12	·			·			·		
		Trio Racer F1	·	·		·	11	·			·					
		TwinWheel FX	·	·		·	12	·			·			·		
		Twin Wheel 900FF	·	·		·	13	·		·	·		·	·	·	
		Wireless Trio Racer	·	·	·	·	11	·			·			·	·	·
	PC	Speed Wheel RV	·	·			12	·			·			·		
		Speed Wheel 3 MT	·	·			14		1	·	·			·		

		USB Port	Win 7/Vista/Xp/Me/2000/98	Number of Buttons	Throttle	Rudder	Vibration Feedback	Turbo	Air Control
Gaming Joystick	F-17	·	·	4	·			·	
	F-23U	·	·	8	·	·			
	MetalStrike 3D	·	·	13	·	·		·	
	MetalStrike Pro	·	·	13	·	·	·	·	·

PC Game Pad

G-08XU

Grandias 12

G-08X2

Grandias 12V

Grandias

G-12U Vibration

Combo Game Pad

Blaze 2

Blaze 3

Handheld Game

Heeha 100

Heeha 300

Heeha 100X

Heeha 400

Heeha 200

Heeha 700

		USB Port	Win 7/Vista/Xp/Me/2000/98	PS2/PS3 Compatable	Number of Buttons	D-Pad	Mini Stick	RF Wireless	Vibration Feedback	Turbo	Macro
GamePad	PC	G-08XU	·	·		8	·				
		G-08X2	·	·		8	·				
		Grandias	·	·		8	·			·	
		Grandias 12	·	·		12	·	2		·	
		Grandias 12V	·	·		12	·	2		·	·
		G-12U Vibration	·	·		12	·	2		·	
	Combo	Blaze2	·	·	PS2	12	·	2		·	
		Blaze3	·	·	PS3	12	·	2		·	

		Screen	CPU	Memory	Game number	Number of Buttons	D-Pad	Camera Function	AV out	Extra Slot	Mic	Remark
Handheld Game	Heeha 100	2.5"	16-bit	64Mb	30	2	·					
	Heeha 100X	2.5"	16-bit	64Mb	30	2	·					
	Heeha 200	2.5"	16-bit	64Mb	30	2	·					
	Heeha 300	2.5"	16-bit	64Mb	30	2	·					
	Heeha 400	2.5"	16-bit	128Mb	60	2	·					
	Heeha 700	2.7"	16-bit	64Mb	38	4	·	·	·	SD	·	including 8 photo games

VGA

UVC

iSlim 320

FaceCam 310

FaceCam 315

iSlim 321R

FaceCam 311

FaceCam 312

Basic

iLook 300

iLook 310

iSlim 300X

Eye 312

FaceCam 300

		Interface		Max. Stil Image Resolution	UVC (No Driver Required)	Built-in MIC	Lens type	Software Support		Headset included	Special feature
		USB2.0 / USB1.1	USB1.1					Windows	Mac OS X		
VGA	UVC										
	iSlim 320	•		8M	•	•	MF	•	•		
	iSlim 321R	•		8M	•	•	MF	•	•		IR LEDs
	FaceCam 310		•	8M	•	•	MF	•	•		
	FaceCam 311		•	-	•	•	MF	•	•		IPM
	FaceCam 312		•	-	•	•	MF	•	•		
	FaceCam 315		•	-	•	•	FF	•	•		IPM
	Basic										
	iLook 300		•	8M			MF	•			
	iSlim 300X		•	8M			MF	•			
	FaceCam 300		•	8M			MF	•			
	iLook 310		•	8M		•	MF	•			
	Eye 312		•	8M		•	MF	•			

HD

FaceCam 1000

FaceCam 1005

FaceCam 1020

WideCam 1050

1.3 MP

FaceCam 1320

iLook 1321

eFace 1300

iSlim 1300

iSlim 1320

eFace 1325R

2.0 MP

FaceCam 2000

eFace 2025

iSlim 2000AF

eFace 2050AF

3.0 MP

FaceCam 3000

		Interface		Max. Stil Image Resolution	UVC (No Driver Required)	Built-in MIC	Lens type	Software Support		Headset included	Special feature
		USB2.0 / USB1.1	USB1.1					Windows	Mac OS X		
HD	FaceCam 1000	•		8M	•		MF	•	•		IPM
	FaceCam 1005	•		8M	•	•	MF	•	•		
	FaceCam 1020	•		8M	•	•	AF	•	•		IPM
	Widecam 1050	•		5M	•	•	MF	•			120° wide angle lens
1.3MP	FaceCam 1320	•		-	•		MF	•	•		IPM
	eFace 1300	•		8M	•	•	MF	•	•		
	iSlim 1320	•		8M	•	•	MF	•	•		
	iLook 1321	•		8M	•	•	MF	•	•		
	iSlim 1300	•		8M	•	•	MF	•	•		
	eFace 1325R	•		8M	•	•	MF	•	•		IR LEDs
2.0MP	FaceCam 2000	•		8M	•		MF	•	•		
	eFace 2025	•		8M	•	•	MF	•	•		
	iSlim 2000AF	•		8M	•	•	AF	•	•		
	eFace 2050AF	•		8M	•	•	AF	•	•		
3MP	FaceCam 3000	•		8M	•	•	FF	•	•	•	

DSC

G-Shot 507

G-Shot 1400

DV

G-Shot DV800

G-Shot HD551T

G-Shot HD580T

G-Shot HD575T

G-Shot HD585T

G-Shot HD1080T

G-Shot HD525

			Model Name	Digital Video Camera	Digital Still Camera	Digital Voice Recorder	Face Tracking	Anti-Shaking	Scene Mode	Image Sesor		LCD Display	External memory					Battery			
										CCD	CMOS		Digital Zoom	Optical Zoom	8GB HCSD	16GB HCSD	32GB HCSD	2XAA	2XAAA	3XAAA	Li-ion
DSC	5MP	G-Shot 507	·	·	·		·	·	10		·	2.7"	8X			·					·
	14MP	G-Shot 1400	·	·	·	·	·	·	30		·	2.7"	5X	3X			·	·			

				Digital Video Camera	Digital Still Camera	Digital Voice Recorder	Face Tracking	Touch AE	Night Mode	Digital Zoom	Optical Zoom	LCD Display	LED Light	Interface			Video Compression		External memory			Battery	Li-ion
														USB 2.0	TV out	HDMI Port	Motion JPEG	H.264	8GB	16GB	32GB		
DV	Hand	720P/AVI	G-Shot DV800	·	·	·				16x		2.4"		·	·						·	4XAAA	
		720P/H.264	G-Shot HD551T	·	·	·		·		3x		3" Touch	·	·	·	·		·			·		·
		1080P/H.264	G-Shot HD580T	·	·	·	·	·	·	4x		3" Touch	·	·	·	·		·			·	2xAA	·
			G-Shot HD575T	·	·	·		·		4x	5x	3" Touch	·	·	·	·		·			·		·
			G-Shot HD585T	·	·	·	·	·	·	4x	5x	3" Touch	·	·	·	·		·			·		·
			G-Shot HD1080T	·	·	·	·	AF Lock	·	120x	10x	3.5" Touch		·	·	·		·			·		·
	Vertical	720P/H.264	G-Shot HD525	·	·	·	·			8x		2.4"	·	·	·	·		·			·		·

Vehicle Recorder	Resolution	View Angle	"Screen size"	Overwrite	"Low Lux"	Seamless	AV Out	GPS	G-Sensor	Li-ion	battery
DVR-HD550	HD	105	2.4"	·	·	·	AV			·	
DVR-HD560	HD	120	2.5"	·	·		HDMI			·	
DVR-GPS300	VGA	82		·	·			·			2AAA
DVR-GPS300D	VGA	90/120		·	·		AV	·	·		
DVR-GPS600	HD	120	2.5"	·	·		AV	·	·		

Projector	Pico projector	Optical engine	LED	Lumen	Inside Memory	Contract	SD Slot Extract	Power bank
	GPP-1000/PMP	LCOS	RGB	12	1GB	260:1	·	
	GPP-2000/PMP	LCOS	RGB	23	1GB	260:1	·	
	GPP-3000	DLP	RGB	35	NO	1000:1		
	GPP-4000	LCOS	White	15	NO	100:1		·

Vehicle Recorder

DVR-HD550

DVR- GPS300D

DVR-HD560

DVR- GPS600

DVR- GPS300
For bicycle and vehicle

Special image Device

G-Shot 1500/Nature Cam

Projector

GPP-1000

GPP-2000

GPP-3000

GPP-4000

Special image Device Nature Cam		Digital Video Camera	Photo Rate Setting	Focal Length	Inside memory	external memory	Battery
	G-Shot 1500	1280 X 1024 (HD)	"6 predetermined time settings, 1 custom 1st : 1minute 2nd : 5minutes 3rd: 30minutes 4th : 1 hour 5th: 4 hours 6th: 24 hours 7th:Customized setting is created by the user through Genius software"	20" to infinity	2GB included	up to 8GB	4xAA

TABLET

Home

Kids Designer

Kids Designer II

EasyPen i405X

EasyPen 340

G-Pen F350

G-Pen F509

G-Pen F610

Multimedia

EasyPen M406

EasyPen M610X

EasyPen M406W

G-Pen M712X

EasyPen M506

=Professional

		USB	Windows 7/ Vista/XP	Mac OS	Working Area	Wide/4:3 screen	Resolution (LPI)	Report Rate (RPS)	Scroll Pad	Touch Pad	Express keys	Battery free design	Numbers of buttons	Pressure Sensitive	Battery free design	Numbers of buttons	Scroll Wheel
		Tablet Plate										Digital Pen			Cordless Mouse		
TABLET	Home	Kids Designer	·	·		5x8	Wide	2560	125					2	1024			
		kids Designer II	·	·		5x8	Wide	2560	125					2	1024			
		EasyPen i405X	·	·	·	4x5.5	4:3	2560	125					2	1024			
		EasyPen 340	·	·	·	3x4	4:3	2560	125					2	1024			
		G-Pen F350	·	·	·	3x5	4:3	2000	125					2	1024			
		G-Pen F509	·	·	·	5.25x8.75	4:3	2000	125					2	1024			
		G-Pen F610	·	·	·	6x10	Wide	2000	125					2	1024			
	Multimedia	EasyPen M406	·	·	·	4x6	Wide	2560	125	·		4	·	2	1024			
		EasyPen M406W	2.4GHz Wireless	·	·	4x6	Wide	2560	125			4	·	2	1024			
		EasyPen M506	·	·	·	5x6	4:3	4000	200			4	·	2	1024			
		EasyPen M610X	·	·	·	6x10	Wide	4000	200			4		2	1024			
		G-Pen M712X	·	·	·	7.25x12/7.25x9.5	4:3	4000	200	·		5		2	1024			
	With Mouse	MousePen i608X	·	·	·	6x8	4:3	2560	125					2	1024		3	·
		MousePen M508X	·	·	·	5x8	Wide	5120	300		·	4		2	2048		3	·
		MousePen M508WX	2.4GHz Wireless	·	·	5x8	Wide	5120	300			4		2	2048		3	·
		PenSketch M912	·	·	·	9x12	4:3	5120	300			8	·	2	2048	·	3	·

Tablet-Home, Multimedia, Tablet with mouse/Presenter

Tablet with Mouse

MousePen i608X

MousePen M508X

Coming Soon
MousePen M508WX

Coming Soon
PenSketch M912

Presenter

Media Pointer 100

Bluetooth

Media Pointer 900BT

Media Pointer

Media Pointer T905

Mouse

Bluetooth

Traveler 915BT Laser

2.4GHz

Navigator T835 Laser V2

		Wireless Technology	Windows 7/ Vista/XP	Laser Pointer	Working Distance	Up/Next Page	F5/ESC	Blank Screen	Timer	Previous/Next Track	Play / Pause	Fast Forward/ Backward	Volume +/-	Corsor Control
		Presentation Mode									Multimedia Mode			Mouse
Presenter	Media Pointer 100	2.4GHz	·	·	10m	·	·	·						
	Media Pointer 900BT	Bluetooth	·	·	10m	·	·	·						
	Media Pointer	2.4GHz	·	·	10m	·	·	·	·	·	·	·	·	
	Media Pointer T905	2.4GHz	·	·	10m	·	·	·			·	·	·	·

		Port	MAC OS	Buttons	Cordless	4D Scroll	8 Way scroll	Both Handed	Laser Sensor	Presenter+ Laser Beam	Air Cursor	Resolution (dpi)	Touch Scroll
Mouse	Traveler 915BT Laser		·	5	Bluetooth	·		·	·	·		1600	
	Navigator T835 Laser	USB	·	11	2.4GHz		·	·	·	·	·	1600	·

TV/Reader/USB HUB

Analog TV

TVGo A03X

Media Player

Media Player 100

Card Reader

CR-903U

USB HUB

UH-403U

DVB-T TV

DVBT-1000

Media Player 200

SM-5.1 Value

			Connection to PC	Type of TV system it supports	Interface	Composite video input	Schedule recording	Snapshot	PIP (Picture-In-Picture)	TV Channel preview	Time Shifting	Output	"Windows 2000/ XP/MCE/Vista/7	Radio
PC TV	ANALOG TV	TVGo A03X	·	Analog	USB2.0		·	·		·	·	USB Cable	·	
	DVB-T TV	DVBT-1000	·	DVB-T	USB2.0		·			·	·	USB Cable	·	

		Connect to TV	Input Port	Output	Video Format	Audio Format	Picture Format	Text Format	Vido Resolution
Media Player	Media Player 100	·	MS/SD/MMC, USB	RCA & YPbPR	"RM/RMVB Real Video 8/9/10 MPE-1/2, DAT, VOB, MPEG 4 (AVI, DIVX, XVID)"	Real Audio AAC, AC3, MP3, WMA, WAV (PCM / ADPCM)	BMP, JPEG, PNG	*.srt *.sub *.ssa *.ass *.smi	RM up to 1024 x 576, other formats up to 720 x 576
	Media Player 200	·	MS/SD/MMC, USB	RCA & YPbPR & HDMI	"RM/RMVB Real Video 8/9/10 MPE-1/2, DAT, VOB,MOV, MPEG 4 (AVI, DIVX, XVID)"	Real Audio AAC, AC3, MP3, WMA, WAV (PCM / ADPCM)	BMP, JPEG, PNG	*.srt *.sub *.ssa *.ass *.smi	RM up to 1024 x 576, other formats up to 720 x 576

NB STAND/NUMPAD/TOUCH PEN

NB Stand

NB Stand 100

NB Stand 280

NB Stand 200

NB Stand 300

NB Stand 250

Numpad

Numpad i110

Numpad Pro

		Port	Windows 7/ Vista/ XP	Lcd Display	Caculater
NB Keypad/ Desktop Kit	Numpad i110	USB	·		
	Numpad Pro	USB	·	·	·

Touch Pen

Touch Pen 1

Touch Pen 2

Touch Pen 3

		Material	Fan Dimension (mm)	Fan Speed	Fan Airflow	Fan Life Expectance	Fan Noise Level	Bearing Type	USB Storeable	USB Port	Power Switch
NB Cooler	NB Stand 100	Plastic	60 × 60 × 10	2200R.P.M ±10%	8.5 CFM ±10%	20,000 hrs	13 dBA	Sleeve	·		
	NB Stand 200	Plastic	70 × 70 × 10	2300R.P.M ±10%	16.69 CFM ±10%	20,000 hrs	17.74 dBA	Sleeve	·		
	NB Stand 250	Aluminum	60 × 60 × 10	2200R.P.M ±10%	8.5 CFM ±10%	20,000 hrs	13 dBA	Sleeve	·		
	NB Stand 280	Aluminum	70 × 70 × 10	2300R.P.M ±10%	16.69 CFM ±10%	8,000 hrs	20 dBA	Sleeve	·		
	NB Stand 300	Plastic	70 × 70 × 10	2000R.P.M ±10%	13.35 CFM ±30%	30,000 hrs	22 dBA	Sleeve	·	2	·

	Products Line	Model	Feature	Smart Phone & iPhone	Tablet PC	iPad	Support for mobile phone,smart Pad,PC/NB	Feature Icon
NB Keypad/ Desktop Kit	PC component	Touch Pen 1	• Capacitive Stylus Pen works on all capacitive touch screens • Convenient pen clip • Durable construction • Color available: ● ● ● ●	Yes	Yes	Yes	V	
	PC component	Touch Pen 2	• Capacitive Stylus Pen works on all capacitive touch screens • Ball-point pen and touch pen, two ways usage • Durable construction • Color available : ●	Yes	Yes	Yes	V	
	PC component	Touch Pen 3	• Capacitive Stylus Pen works on all capacitive touch screens • Lipstick compact design, RUSSIAN DIAMOND attached • Durable construction • Color available : ● ● ● ●	Yes	Yes	Yes	V	

Sleeve

GS-i900 Mobile Pack

GS-1000

GS-i900

G-S1200

GS-1050

G-S1400

for Apple iPad iPhone Case

GP-i520
Color:

GS-i920
Color:

GP-i580

GS-i980

NB Bag			Color	Material	Device Capacity	Unit Weight	Body Size (WxHxD)
Accessor	Sleeve	GS-i900 Mobile Pack	Black/Green	PVC	iPad/iPhone	140g	21.2 × 25.5 × 1cm & 8.1 × 12.6 × 1cm
		GS-i900	Black	PVC	9.7" Tablet PC / iPad	120g	21.2 × 25.5 × 1 cm
		GS-1000	Black	Polyester	8"~10" laptop	170g	28.5 × 22 × 3.5 cm
		G-S1200	Black	Polyester	10"~12" laptop	180g	32.5 × 24.5 × 2 cm
		G-S1400	Black	Polyester	13"~14"laptop	250g	36 × 27.5 × 2.5 cm
		GP-i520	Blue	PV	for iphone 4	45g	11.8 x 6 x 1.3 cm
		GS-i920	Blue	PV	for ipad 2	91g	24.5 x 19 x 1.2 cm
		GP-i580	Black	PU	for iphone 5	153g	11.8 x 6 x 1.3 cm
		GS-i980	Black	PU	for ipad 2	295g	25 x 20 x 2.5 cm
		GS-1050	Gray/Yellow	polyester	7"~10" laptop	280g	22 x 27 x 5 cm

Briefcase

GT-1580

G-C1400

G-C1450

GC-1500A

GC-1500C

Coming Soon

GC-1551

BackPack

G-B1500

G-B1520

G-B1550

GB-1500A

GB-1520C

Coming Soon

GC-1551

NB Bag			Color	Material	Device Capacity	Unit Weight	Body Size (WxHxD)
Backpack	Briefcase	GT-1580	Black	Polyester	12"~15.4" laptop	2950g	40.5 × (9.5 ~ 14) × 32 cm
		GC-1500A	Black/Red	Polyester	12"~15.6" laptop	610g	39.5 × 28 × 7 cm
		G-C1400	Black	Nylon	12"~14" laptop	520g	37 × 28 × 9.5 cm
		GC-1500C	Black/Gray	Polyester	12"~15.6" laptop	520g	40 × 27 × 6.5 cm
		G-C1450	Black/Red	Nylon	12"~14" laptop	820g	37 × 28 × 8.5 cm
		G-B1500	Black	Polyester	12"~15.4" laptop	500g	31 × 42 ×16.2 cm
		GB-1500A	Black/Red	Polyester	12"~15.6" laptop	650g	30 × 40 × 8 cm
		G-B1520	Black	Nylon	12"~15.4" laptop	720g	30 × 42.5 × 16 cm
		GB-1520C	Black/Gray	Polyester	12"~15.6" laptop	600g	32 × 45 × 12.5 cm
		G-B1550	Black/Red	Nylon	12"~15.4" laptop	920g	33 × 45 × 22 cm

Power bank

iPhone

ECO-i100

ECO-i200

Universal

ECO-u200

ECO-u600

	ECO-i100	ECO-i200	ECO-u200	ECO-u600
Capacity	1850mA	2000	2600mA	6600mA
USB	1	1	1	2
Type	iPhone 4	iPhone 5	Universal	Universal
Power	5V/1A	5V/1A	5V/1A	5V/1A,5V/2.1A
Charge Time	3~4Hrs	4Hrs	4Hrs~4.5Hrs	4Hrs(adaptor)
Talking Time	10Hrs	1Hrs	15Hrs	33Hrs
Standby Time	230Hrs	260Hrs	300Hrs	700Hrs
Internet Time	8Hrs	9Hrs	13Hrs	30Hrs